

ELO Windows AIO 22"

Elo's I-Series for Windows delivers commercial-grade computing with the capabilities, security and enterprise infrastructure of a powerful, Windows-based platform—all in a sleek, yet durable fixed tablet form factor.



FEATURE SPECIFICATION

Operating System	Windows 10 IoT
Processor	Intel® Celeron® J4105 Processor (4M Cache, up to 2.5 GHz)
Memory	Celeron: 4GB 2666MHz DDR4 SO-DIMM on 1 of 2 slots (Expandable to 8GB maximum on 2 slots)
Storage	128GB M.2 SATA SSD 72 TBW
Speakers	2 x 2 internal speakers
I/O Ports	1 x LAN RJ45 (Gigabit), 1 x USB 3.0, 4 x Micro USB 2.0 on edges for optional Elo Edge Connect peripherals
Wireless	Wi-Fi 802.11 a/b/g/n/ac 2.4GHz and 5GHz
Touch Technology	PCAP (TouchPro® Projected Capacitive) - 10 Touch
Brightness	LCD panel: 250 nits; TouchPro PCAP: 225 nits
Response Time	14 ms
Contrast Ratio	1000:1
Power	External USB-C power supply brick, AC input voltage: 100-240 VAC, Input frequency: 50-60 Hz
Aspect Ratio	16:9
Dimensions (W x D x H)	20.7" x 12.57" x 2.07"
Weight	Packaged: 15.4 lbs / 7 kg Unpackaged: 11.5 lbs / 5.2 kg
Temperature	Operating: 0°C to 35°C / 32°F to 95°F; Storage: -20°C to 60°C / -4°F to 140°F
Mounting Options	75mm or 100mm VESA mountb
Warrant	3 years standard
Regulatory Approvals	UL/cUL, FCC, TUV, CE, CB, Mexico NOM, C-Tick/RCM, VCCI, Argentina S-Mark, CCC

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Specifications and features vary by model, and all images are illustrative. PCB color and bundled software versions are subject to change without notice. Brand and product names mentioned are trademarks of their respective companies.



ELO Android AIO 22"

The Elo I-Series 3.0 Android All-in-One is a reliable solution that features Power Over Ethernet (POE) capability and flexible design for various screen orientations. Built to hold after constant use in harsh environments, this all-in-one monitor will seamlessly optimize any kitchen workflow.



FEATURE SPECIFICATION

Operating System	Android™ 8.1
Processor	Qualcomm® Snapdragon™ APQ8053 2.0GHz octa-core Processor
Memory	3GB DDR3L
Storage	32GB SSD
Speakers	TWO 2W stereo internal
I/O Ports	Micro HDMI output, Micro SD slot, Ethernet 1x LAN (Gigabit), GPIO, 1x USB 3.0, 4x microUSB
Wireless	802.11 b/g/n/ac + Bluetooth 4.1
Touch Technology	TouchPro® PCAP (Projected Capacitive) - up to 10 touches
No. of Colors	6-bit (Hi-FRC; 16.7M)
Brightness	LCD Panel 250 nits; PCAP: 215 nits
Response Time	14 ms
Contrast Ratio	1000:1
Power	AC input voltage: 100-240 VAC; Input frequency: 50-60 Hz
Aspect Ratio	16:9
Dimensions (W x D x H)	20.63" x 12.75" x 1.39" (523.9mm x 323.9mm x 35.2mm)
Weight	Unpackaged: 9.47 lbs (4.3 kg) Packaged: 16.10 lbs (7.30 kg)
Temperature	Operating: 32°F to 104°F (0°C to 40°C); Storage: -4°F to 122°F (-20°C to 50°C)
Mounting Options	100mm or 100mm VESA mount
Peripheral Mounting	4x microUSB side ports available
Warrant	2 years standard
Regulatory Approvals	UL/cUL (US), IC (Canada), CE (Europe), CB (International), CCC, SRRC China RoHS (China), VCCI, MIC (Japan), RCM (Australia), KCC (Korea), NOM (Mexico), BIS (India), ANATEL (Brazil), BSMI (Taiwan), EAC (Russia)

All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. Specifications and features vary by model, and all images are illustrative. PCB color and bundled software versions are subject to change without notice. Brand and product names mentioned are trademarks of their respective companies.

